



## The base station can only be powered on by connecting it to a power source

Connect the base station to your router using an Ethernet cable. Connect the base station AC adapter to your base station and plug it in. Turn the base station on by pressing the On-Off button. The Power ...

Attach the power cables to the base stations, and then plug each of the adapter into a power outlet to turn them on. Important: Use only the power cables and ...

Mount the base stations at the edge of the tracking area near power outlets. If you're not able to mount the base stations using the mounting kit, you can ...

The steps involved in pairing a base station vary depending on the type of base station and the devices you need to connect. Generally, the process involves powering on the base station ...

Power Supply: The power source provides the electrical energy to base station elements. It often features auxiliary power supply mechanisms that ...

Connect the antennas to the receiver using the appropriate cables. The receiver uses its own integrated battery, or an external 12 V battery through the 12 V crocodile clips cable that are provided with the ...

Tap Cameras &gt; Battery Camera &gt; Wyze Base Station &gt; Next. Plug one end of the included power supply cable into the base station, and the other ...

They come with power adapters that need to be connected to a power outlet. Each base station needs to be positioned securely and mounted on a stable surface or a compatible mounting ...

Connect the base stations to power: Use the provided power adapters to connect each base station to the power source. Ensure a secure connection and confirm that the power indicators ...

This section describes some possible station setup and static measurement issues, possible causes, and how to solve them. Trimble recommends that you use the Trimble Access software to restart or ...



**The base station can only be powered on  
by connecting it to a power source**

Web: <https://www.kgangkologrp.co.za>

